Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	558	(universal$2 global$1) near2 unique$2 near2 (id identif$4 identification$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:40
L2	57410	(object$1 user$1) near3 (id identif$4 identification$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:10
L3	51385	(memor$3 EEPROM EPROM dram ram nonvolatile non-volatile database$2 storage$2 rom) near3 (object$1 (user$2 near information$1) (user$2 near data$1) (user$2 near2 record$1))	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:38
L4	19876	(memor$3 EEPROM EPROM dram ram nonvolatile non-volatile database$2 storage$2 rom) near3 (lan (local$2 near2 resource$1) (local$2 near2 resource$1) remote$2)	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:39
L5	154	l1 and l2 and l3	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:17
L6	78	l4 and l5	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:17
L7	570	(universal$2 global$1) near2 unique$2 near2 (id identif$4 identit$3 identification$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:35
L9	28008	(memor$3 EEPROM EPROM dram ram nonvolatile non-volatile database$2 storage$2 rom) near3 (userID$1 ID identification$2 identit$3 identifier$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:49
L10	48	l2 and l3 and l4 and l7 and l9	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:20
L11	23387	(remote$2 outside$1) near2 (access$3 userid$2 id identif$4 identit$3 identification$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:41
L12	31	l10 and l11	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:41
L13	56319	(memor$3 EEPROM EPROM dram ram nonvolatile non-volatile database$2 storage$2 rom) near3 (object$1 employee$1 (user$2 near2 information$1) (user$2 near2 data$1) (user$2 near2 record$1))	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:42
L14	40	(memor$3 EEPROM EPROM dram ram nonvolatile non-volatile database$2 storage$2 rom) near3 l7	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:41

L15	14	I13 and I14	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:49
L16	123773	(remote$2 outside$1) near4 (access$3 control$1 gain$3 obtain$3 log$4 userid$2 id identif$4 identit$3 identification$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:37
L17	4775	I3 and I9	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:56
L18	89	I7 and I17	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:49
L19	28010	(memor$3 EEPROM EPROM dram ram nonvolatile non-volatile database$2 storage$2 rom) near3 (userID$1 employee-ID student-ID ID identification$2 identit$3 identifier$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:50
L20	4776	I3 and I19	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:56
L21	834	(universal$2 global$1) near5 (unique$2 near2 (id identif$4 identit$3 identification$1))	USPAT; IBM_TDB	OR	OFF	2005/11/23 11:59
L22	110	I20 and I21	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:00
L23	56	I16 and I22	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:27
L24	14298	((726/2) or (726/3) or (726/4) or (726/5) or (726/8) or (726/18) or (726/27) or (726/30) or (380/202) or (380/241) or (709/200) or (709/201) or (709/223) or (709/225) or (709/229) or (709/232) or (707/1) or (707/9) or (707/10) or (707/100) or (707/103x) or (707/200) or (705/58)).CCLS.	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:34
L25	4443	I24 and (unique$2 near3 (id identif$4 identit$3 identification$1))	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:13
L26	166	I24 and I7	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:36
L27	84	I26 and I13	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:45
L28	60082	(remote$2 outside$1 across distribute$3 multiple$1 another) near4 (access$3 control$1 gain$3 obtain$3 log$4) near4 (network$1 system$1 node$1 station$1 computer$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:21

L29	57	I28 near4 (unique$2 near3 (id identif$4 identit$3 identification$1))	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:15
L30	711070	(local lan within in) near4 (system$1 node$1 station$1 computer$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:41
L31	709799	(local within in) near4 (system$1 node$1 station$1 computer$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:20
L32	1153	I31 near4 (unique$2 near3 (id identif$4 identit$3 identification$1))	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:41
L33	279	I28 near4 (unique$2)	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:42
L34	13	I32 and I33	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:43
L35	5	I34 and I13	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:43
L36	63	I27 not I23	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:45
L37	59	I36 not I15	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:46
L38	59	I37 not I12	USPAT; IBM_TDB	OR	OFF	2005/11/23 12:46
L39	2373	unique$2 near3 (userid user-id ((user$1 employee$1 student$1) near2 (id identif$4 identit$3 identification$1)))	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:15
L40	789	I39 and I28	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:16
L41	97	I31 with I39	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:16
L42	40	I40 and I41	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:16
L43	12	I39 with I28	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:17
L44	7	I42 and 43	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:17
L45	237196	(local user$1 personal$1 client$1) near4 (system$1 node$1 station$1 computer$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:21
L46	504	I39 with I45	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:21
L47	270634	(remote$2 outside$1 across distribute$3 multiple$1 another) near4 (network$1 system$1 node$1 station$1 computer$1)	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:21

L48	53	I39 with I47	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:22
L49	31	I46 and I48	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:22
L50	15	I49 and I13	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:22
L51	9	I50 not I44	USPAT; IBM_TDB	OR	OFF	2005/11/23 13:22